

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in  
Children 2 through 18 years of age, By County, NC-NPASS\*, 2005**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
<b>STATEWIDE</b>	<b>4,634</b>	<b>4.0%</b>	<b>73,153</b>	<b>63.6%</b>	<b>18,032</b>	<b>15.7%</b>	<b>19,151</b>	<b>16.7%</b>	<b>114,970</b>
ALAMANCE	30	2.2%	854	62.5%	248	18.1%	235	17.2%	1,367
ALEXANDER	23	4.9%	291	62.2%	71	15.2%	83	17.7%	468
ALLEGHANY	2	1.1%	107	59.1%	29	16.0%	43	23.8%	181
ANSON	31	6.3%	326	66.0%	60	12.1%	77	15.6%	494
ASHE	35	5.3%	400	60.2%	106	16.0%	123	18.5%	664
AVERY	7	3.1%	146	64.0%	39	17.1%	36	15.8%	228
BEAUFORT	22	3.3%	426	63.7%	103	15.4%	118	17.6%	669
BERTIE	46	8.2%	350	62.5%	73	13.0%	91	16.3%	560
BLADEN	35	5.6%	395	63.6%	90	14.5%	101	16.3%	621
BRUNSWICK	37	3.0%	782	64.3%	193	15.9%	204	16.8%	1,216
BUNCOMBE	119	2.8%	2,435	58.0%	731	17.4%	914	21.8%	4,199
BURKE	37	4.2%	555	63.5%	149	17.0%	133	15.2%	874
CABARRUS	84	3.3%	1,554	61.9%	431	17.2%	443	17.6%	2,512
CALDWELL	57	3.3%	1,027	59.3%	320	18.5%	329	19.0%	1,733
CAMDEN	22	13.5%	105	64.4%	14	8.6%	22	13.5%	163
CARTERET	16	3.8%	270	63.4%	68	16.0%	72	16.9%	426
CASWELL	7	1.9%	232	61.4%	64	16.9%	75	19.8%	378
CATAWBA	26	2.0%	750	57.2%	255	19.5%	280	21.4%	1,311
CHATHAM	20	3.0%	423	63.4%	113	16.9%	111	16.6%	667
CHEROKEE	8	3.6%	148	66.7%	30	13.5%	36	16.2%	222
CHOWAN	4	1.0%	245	60.0%	76	18.6%	83	20.3%	408
CLAY	12	5.4%	137	61.2%	38	17.0%	37	16.5%	224
CLEVELAND	103	6.8%	1,035	67.9%	191	12.5%	195	12.8%	1,524
COLUMBUS	46	4.5%	646	63.6%	174	17.1%	150	14.8%	1,016
CRAVEN	64	2.7%	1,341	56.4%	445	18.7%	528	22.2%	2,378

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 1 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in  
Children 2 through 18 years of age, By County, NC-NPASS\*, 2005**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
<b>STATEWIDE</b>	<b>4,634</b>	<b>4.0%</b>	<b>73,153</b>	<b>63.6%</b>	<b>18,032</b>	<b>15.7%</b>	<b>19,151</b>	<b>16.7%</b>	<b>114,970</b>
CUMBERLAND	363	6.8%	3,900	73.0%	617	11.5%	465	8.7%	5,345
CURRITUCK	7	2.8%	164	65.9%	38	15.3%	40	16.1%	249
DARE	3	1.1%	163	62.5%	49	18.8%	46	17.6%	261
DAVIDSON	57	4.0%	990	69.7%	212	14.9%	161	11.3%	1,420
DAVIE	10	2.3%	284	64.5%	72	16.4%	74	16.8%	440
DUPLIN	137	10.5%	754	58.0%	176	13.5%	234	18.0%	1,301
DURHAM	124	4.9%	1,576	61.7%	350	13.7%	506	19.8%	2,556
EDGECOMBE	35	3.3%	699	65.4%	150	14.0%	184	17.2%	1,068
FORSYTH	143	4.0%	2,395	67.5%	517	14.6%	492	13.9%	3,547
FRANKLIN	29	2.7%	639	59.7%	175	16.3%	228	21.3%	1,071
GASTON	55	3.4%	1,025	63.0%	255	15.7%	293	18.0%	1,628
GATES	4	2.4%	96	58.2%	29	17.6%	36	21.8%	165
GRAHAM	12	4.5%	163	61.5%	43	16.2%	47	17.7%	265
GRANVILLE	26	3.2%	461	56.6%	159	19.5%	168	20.6%	814
GREENE	27	4.6%	374	63.2%	95	16.0%	96	16.2%	592
GUILFORD	122	3.4%	2,429	68.4%	520	14.6%	479	13.5%	3,550
HALIFAX	48	3.7%	811	62.6%	190	14.7%	247	19.1%	1,296
HARNETT	62	3.2%	1,267	64.5%	309	15.7%	325	16.6%	1,963
HAYWOOD	11	3.3%	209	62.4%	68	20.3%	47	14.0%	335
HENDERSON	24	3.1%	488	62.5%	132	16.9%	137	17.5%	781
HERTFORD	13	3.4%	260	68.6%	47	12.4%	59	15.6%	379
HOKE	44	3.9%	719	64.2%	154	13.8%	203	18.1%	1,120
HYDE	6	6.7%	54	60.0%	11	12.2%	19	21.1%	90
IREDELL	39	2.3%	1,124	66.9%	271	16.1%	245	14.6%	1,679
JACKSON	15	3.4%	259	58.5%	83	18.7%	86	19.4%	443

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 2 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in  
Children 2 through 18 years of age, By County, NC-NPASS\*, 2005**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
<b>STATEWIDE</b>	<b>4,634</b>	<b>4.0%</b>	<b>73,153</b>	<b>63.6%</b>	<b>18,032</b>	<b>15.7%</b>	<b>19,151</b>	<b>16.7%</b>	<b>114,970</b>
JOHNSTON	38	2.1%	1,028	57.8%	318	17.9%	396	22.2%	1,780
JONES	12	2.9%	228	56.0%	79	19.4%	88	21.6%	407
LEE	19	2.3%	581	71.4%	102	12.5%	112	13.8%	814
LENOIR	78	8.6%	634	69.9%	107	11.8%	88	9.7%	907
LINCOLN	83	15.9%	342	65.5%	45	8.6%	52	10.0%	522
MACON	14	3.2%	269	61.7%	75	17.2%	78	17.9%	436
MADISON	7	2.8%	151	59.7%	40	15.8%	55	21.7%	253
MARTIN	33	7.0%	306	65.1%	68	14.5%	63	13.4%	470
MCDOWELL	28	4.2%	449	67.9%	90	13.6%	94	14.2%	661
MECKLENBURG	198	3.5%	3,645	63.6%	987	17.2%	905	15.8%	5,735
MITCHELL	10	3.6%	195	70.1%	23	8.3%	50	18.0%	278
MONTGOMERY	23	3.3%	406	57.5%	135	19.1%	142	20.1%	706
MOORE	40	4.6%	556	64.4%	129	14.9%	138	16.0%	863
NASH	84	7.6%	720	65.5%	149	13.5%	147	13.4%	1,100
NEW HANOVER	45	3.2%	917	66.0%	226	16.3%	202	14.5%	1,390
NORTHAMPTON	29	5.1%	301	53.4%	106	18.8%	128	22.7%	564
ONslow	105	3.9%	1,954	72.4%	386	14.3%	254	9.4%	2,699
ORANGE	37	3.1%	714	59.5%	221	18.4%	227	18.9%	1,199
PAMLICO	6	1.7%	201	55.7%	79	21.9%	75	20.8%	361
PASQUOTANK	51	4.4%	663	56.8%	197	16.9%	257	22.0%	1,168
PENDER	48	5.2%	536	58.1%	137	14.8%	202	21.9%	923
PERQUIMANS	9	3.9%	139	60.7%	32	14.0%	49	21.4%	229
PERSON	19	3.5%	346	64.3%	86	16.0%	87	16.2%	538
PITT	64	3.3%	1,246	64.1%	320	16.5%	314	16.2%	1,944
POLK	3	1.7%	115	63.9%	31	17.2%	31	17.2%	180

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 3 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in  
Children 2 through 18 years of age, By County, NC-NPASS\*, 2005**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
<b>STATEWIDE</b>	<b>4,634</b>	<b>4.0%</b>	<b>73,153</b>	<b>63.6%</b>	<b>18,032</b>	<b>15.7%</b>	<b>19,151</b>	<b>16.7%</b>	<b>114,970</b>
RANDOLPH	43	2.7%	953	59.9%	275	17.3%	320	20.1%	1,591
RICHMOND	159	15.6%	710	69.5%	81	7.9%	71	7.0%	1,021
ROBESON	144	5.1%	1,856	65.2%	396	13.9%	451	15.8%	2,847
ROCKINGHAM	94	6.3%	994	66.2%	177	11.8%	236	15.7%	1,501
ROWAN	30	2.1%	897	63.6%	253	17.9%	230	16.3%	1,410
RUTHERFORD	48	4.9%	653	66.0%	155	15.7%	133	13.4%	989
SAMPSON	56	4.5%	736	59.0%	208	16.7%	247	19.8%	1,247
SCOTLAND	49	6.8%	499	69.6%	89	12.4%	80	11.2%	717
STANLY	37	5.8%	430	67.3%	79	12.4%	93	14.6%	639
STOKES	26	3.4%	441	58.1%	120	15.8%	172	22.7%	759
SURRY	35	2.7%	760	58.5%	213	16.4%	291	22.4%	1,299
SWAIN	3	1.6%	139	73.2%	27	14.2%	21	11.1%	190
TRANSYLVANIA	7	2.5%	199	69.8%	38	13.3%	41	14.4%	285
TYRRELL	1	0.6%	102	58.0%	38	21.6%	35	19.9%	176
UNION	39	2.5%	995	64.4%	269	17.4%	241	15.6%	1,544
VANCE	36	3.8%	615	64.3%	148	15.5%	157	16.4%	956
WAKE	203	2.5%	4,950	61.9%	1,349	16.9%	1,494	18.7%	7,996
WARREN	39	5.9%	434	66.0%	82	12.5%	103	15.7%	658
WASHINGTON	39	10.1%	264	68.4%	38	9.8%	45	11.7%	386
WATAUGA	28	4.2%	423	63.4%	104	15.6%	112	16.8%	667
WAYNE	40	2.3%	1,105	63.7%	304	17.5%	286	16.5%	1,735
WILKES	29	2.8%	625	61.1%	175	17.1%	194	19.0%	1,023
WILSON	34	2.4%	869	61.7%	249	17.7%	256	18.2%	1,408
YADKIN	11	2.8%	235	59.2%	77	19.4%	74	18.6%	397
YANCEY	10	2.6%	254	66.8%	57	15.0%	59	15.5%	380
Eastern Band of Cherokee Indians	2	1.2%	90	55.9%	30	18.6%	39	24.2%	161

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 4 of 4